

Специализированный синтез

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-4159
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47


Адрес: <https://tci.nt-rt.ru/> || эл.почта: tic@nt-rt.ru

Fluorous Chemistry


Recently, fluorous chemistry has been studied intensively from the perspective of "Green Chemistry", as the products can be readily separated and the solvents used are reusable. The term "fluorous" was introduced as the analogue to the term aqueous, meaning dissolve in fluorocarbon solvents. Although highly fluorinated compounds (fluorous compounds) neither dissolve in common organic solvents nor in water, they dissolve well in fluorous solvents such as perfluoroalkane. Fluorous chemistry utilizes this property and a numerous application of this chemistry has been made.

1. Organic reaction using fluorous solvents


Although fluorous solvents are immiscible with water and common organic solvents, certain fluorous solvents have the properties to form a homogeneous solution with some organic solvents at elevated temperatures. They also have the properties that the boiling points are almost equal to those of the corresponding hydrocarbons regardless of their molecular weight, and the high solubility of many gases in these solvents. Taking the advantage of these properties, Horváth *et al.* accomplished the hydroformylation of olefins using a fluorous rhodium catalyst in perfluoromethylcyclohexane [P0846] and toluene in 1994.¹⁾ This was regarded as the origin of the fluorous chemistry. This reaction uses perfluoromethylcyclohexane and toluene as solvent, which form a biphasic system at room temperature. In this system the fluorous catalyst exists in the fluorous phase and the olefins in the organic phase. However, the two phases form a homogeneous solution when heated. The reaction then proceeds by introduction of carbon monoxide and hydrogen gases. When the reaction is complete and cooled, the two phase system reappears, where the resulting product is dissolved in the toluene phase and the fluorous catalyst in the fluorous phase. This biphasic system using a fluorous solvent and an organic solvent is called Fluorous Biphasic System (FBS), and the multiple phase system is called Fluorous Multiphase System (FMS). The advantages of FBS and FMS are that the resulting product and the catalyst can be easily separated simply by separating the fluorous phase from the other phase after the reaction, and that the fluorous phase containing fluorous catalyst can be reusable after separation.





Zhu also reported the synthesis of carboxylic ester from methacrylic acid and decanol using p-toluenesulfonic acid in perfluoro(2-butyltetrahydrofuran) [P0867].²⁾ Although methacrylic acid, decanol and the acid catalyst dissolve in a fluorous solvent upon heating, the water generated in the reaction does not dissolve in the fluorous solvent. When the reaction mixture is cooled, the resulting carboxylic ester floats on the water phase, and the desired product can be separated.




A numerous oxidation reactions in biphasic system with fluorous solvents and organic solvents have also been studied with oxygen molecule. Knochel *et al.* have reported the oxidation of aldehydes, olefins and sulfides in the presence of a nickel complex catalyst with a fluorous β -diketone as ligand.³⁾ For the oxidation of aldehydes, perfluorodecalin [P0837] and toluene were used as solvents, and this system also was found to form a homogeneous solution upon heating. After the reaction was over and cooled to room temperature, the catalyst staying in the fluorous phase and the product in the organic phase were easily separated. Due to their strong solubility, fluorous solvents are suitable for many reactions that requires gases reagents.




Various oxidation reaction of sulfides and olefins have also been studied similarly in the presence of isobutylaldehyde.³⁾ The solvents used in these reactions were perfluorooctyl bromide [H0946] and toluene, and this solvent system also formed a homogeneous solution upon heating.




Pozzi *et al.* have also reported an epoxidation of olefins using molecular oxygen catalyzed by fluoros porphyrin-cobalt complex in the presence of isobutylaldehydes.⁴⁾ This reaction was carried out in biphasic system of perfluorohexane [P0839] and acetonitrile by stirring the mixture at room temperature. When the reaction was complete, the catalyst and the product were separated as usual, and the fluoros phase containing the catalyst was reused.



The Wacker oxidation reaction using perfluorooctyl bromide [H0946] as fluoros solvent has also been reported.⁵⁾ Perfluorooctyl bromide and benzene form a homogeneous solution when heated. After the reaction is complete and cooled, the product is separated from the palladium catalyst complexed with fluoros β -diketone. The fluoros phase can be reused after separation.



Horváth and Gladysz *et al.* have reported a hydroboration in perfluoromethylcyclohexane [P0846] and toluene using a rhodium complex catalyst with fluoros ligands.⁶⁾ After the reaction was complete, the product was separated, and the fluoros phase containing the catalyst was reused.



2. Application to the synthesis of sugar chains and Combinatorial Chemistry

Curran *et al.* have introduced the use of fluoros substituents (fluorous tags) into non-fluorous substrates and the synthesis of isoxazoline by using this fluoros compound.⁷⁾ After the reaction,

the fluoros product was separated by extraction with dichloromethane, water, and perfluorohexane. Following this report, a numerous applications of this fluoros chemistry have been made in combinatorial chemistry.⁸⁾ And, Inazu *et al.* have applied this chemistry to the synthesis of oligosaccharide.⁹⁾ In this reaction, the fluoros tag was first introduced into the sugar molecule, and then glycoxylation followed. The desired oligosaccharide thus obtained was extracted with an organic solvent, water, and perfluorohexane.












As shown by the aforementioned examples, fluoros chemistry introduced by Horváth *et al.* has widely been applied in many areas of synthetic chemistry. Utilizing this chemistry, it is possible to isolate the desired product easily from the catalyst and the fluoros solvents. Furthermore, the separated fluoros solvents and the catalysts can be reused. A great deal of studies have been made on this subject, especially, because of its usefulness in term of Green Chemistry. It is also expected that this chemistry will be widely used in the application to the combinatorial chemistry where many compounds are handled at multiple steps.

References

- 1) I. T. Horváth, J. Rábai, *Science* **1994**, 266, 72.
- 2) D.-W. Zhu, *Synthesis* **1993**, 953.
- 3) I. Klement, H. Lütjens, P. Knochel, *Angew. Chem. Int. Ed. Engl.* **1997**, 36, 1454.
- 4) G. Pozzi, F. Montanari, S. Quici, *Chem. Commun.* **1997**, 69.
- 5) B. Betzemeier, F. Lhermitte, P. Knochel, *Tetrahedron Lett.* **1998**, 39, 6667.
- 6) J. J. Juliette, I. T. Horváth, J. A. Gladysz, *Angew. Chem. Int. Ed. Engl.* **1997**, 36, 1610; J. J. Juliette, D. Rutherford, I. T. Horváth, J. A. Gladysz, *J. Am. Chem. Soc.* **1999**, 121, 2696.
- 7) A. Studer, S. Hadida, R. Ferritto, S.-Y. Kim, P. Jeger, P. Wipf, D. P. Curran, *Science* **1997**, 275, 823.
- 8) D. P. Curran, S. Hadida, *J. Am. Chem. Soc.* **1996**, 118, 2531; D. P. Curran, M. Hoshino, *J. Org. Chem.* **1996**, 61, 6480; D. P. Curran, *Angew. Chem. Int. Ed.* **1998**, 37, 1174; D. P. Curran, Z. Luo, *J. Am. Chem. Soc.* **1999**, 121, 9069; Q. Zhang, Z. Luo, D. P. Curran, *J. Org. Chem.* **2000**, 65, 8866; Z. Luo, Q. Zhang, Y. Oderaotoshi, D. P. Curran, *Science* **2001**, 291, 1766; S. Darses, M. Pucheault, J.-P. Genêt, *Eur. J. Org. Chem.* **2001**, 1121.
- 9) T. Miura, Y. Hirose, M. Ohmae, T. Inazu, *Org. Lett.* **2001**, 3, 3947; T. Miura, T. Inazu, *Tetrahedron Lett.* **2003**, 44, 1819.
- 10) Review
K. Ishihara, H. Yamamoto, *Kagaku To Kogyo* **2001**, 54, 1061; K. Ishihara, *Kagaku To Kogyo* **2002**, 55, 865; I. Ryu, H. Matsubara, *Kagaku* **2002**, 57(5), 20; S. Takeuchi, Y. Nakamura, *Kagaku* **2002**, 57(6), 16; K. Mikami, H. Matsuzawa, *Kagaku* **2002**, 57(7), 22; K. Ishihara, H. Yamamoto, *Kagaku* **2002**, 57(8), 30.

Keywords : fluoros chemistry, fluoros solvents, environmentally-friendly solvents



















Fluorous Solvents



































Fluorous Solvents		P083925g 250g $\text{CF}_3(\text{CF}_2)_4\text{CF}_3$ Perfluorohexane CAS RN: 355-42-0	P085110g $\text{CF}_3(\text{CF}_2)_5\text{CF}_3$ Perfluoroheptane (mixture of isomers) CAS RN: 335-57-9	O026810g $\text{CF}_3(\text{CF}_2)_6\text{CF}_3$ Perfluorooctane CAS RN: 307-34-6
E04855g 25g $\text{CF}_3(\text{CF}_2)_7\text{CF}_3$ Perfluorononane CAS RN: 375-96-2	P17551g $\text{CF}_3(\text{CF}_2)_{10}\text{CF}_3$ Perfluorododecane CAS RN: 307-59-5	T101225mL $\text{CF}_3\text{CF}_2\text{CF}_2\text{CF}_2\text{CF}_3$ Perfluoroisohexane CAS RN: 355-04-4	H101325g 500g  1,1,2,2,3,3,4-Heptafluorocyclopentane CAS RN: 15290-77-4	O029210g 50g  Perfluorocyclopentene CAS RN: 559-40-0
P084625g 100g  Perfluoromethylcyclohexane CAS RN: 355-02-2	P142025g  Perfluoro(1,3-dimethylcyclohexane) CAS RN: 335-27-3	P083725g  Perfluorodecalin CAS RN: 306-94-5	H00855g 25g 250g  Perfluorobenzene CAS RN: 392-56-3	P08565g 25g  Perfluorotoluene CAS RN: 434-64-0
H09465g 25g $\text{CF}_3(\text{CF}_2)_7\text{Br}$ Perfluoro- <i>n</i> -octyl Bromide CAS RN: 423-55-2	D448425g 500g  1,1,1,2,2,3,4,4,5,5,5-Decafluoro-3-methoxy-4-(trifluoromethyl)pentane CAS RN: 132182-92-4	P086725g Perfluoro-(2-butyltetrahydrofuran) CAS RN: 335-36-4	P13485g 25g  Perfluorotriethylamine CAS RN: 359-70-6	P007425g 100g  Perfluorotributylamine CAS RN: 311-89-7
P105125g  Perfluorotriethylamine CAS RN: 338-84-1				

Fluorous Compounds
















Fluorous Alkanes, Fluorous Alkenes

P1102 5g 25g 100g $\text{CF}_3(\text{CF}_2)_5\text{CH}=\text{CH}_2$ (Perfluorohexyl)ethylene CAS RN: 25291-17-2	T2496 5g $\text{CF}_3(\text{CF}_2)_4\text{CHF}_2$ 1 <i>H</i> -Tridecafluorohexane CAS RN: 355-37-3	U0076 5g $\text{CF}_3(\text{CF}_2)_3\text{CHF}_2$ 1 <i>H</i> -Undecafluoropentane CAS RN: 375-61-1	H0846 5g 25g $\text{CF}_3(\text{CF}_2)_7\text{CH}=\text{CH}_2$ (Perfluoro- <i>n</i> -octyl)ethylene CAS RN: 21652-58-4	N0601 5g 25g $\text{CF}_3(\text{CF}_2)_3\text{CH}=\text{CH}_2$ (Perfluorobutyl)ethylene CAS RN: 19430-93-4
D1101 25g 100g $\text{H}(\text{CF}_2)_6\text{CH}_2\text{OH}$ 1,1,7-Trihydroperfluoroheptanol CAS RN: 335-99-9	D2891 5g $\text{HOCH}_2(\text{CF}_2)_6\text{CH}_2\text{OH}$ 2,2,3,3,4,4,5,5,6,6,7,7-Dodecafluoro-1,8-octanediol CAS RN: 90177-96-1	E0239 10g $\text{H}(\text{CF}_2)_{10}\text{CH}_2\text{OH}$ 1 <i>H</i> ,1 <i>H</i> ,11 <i>H</i> -Eicosafuoro-1-undecanol CAS RN: 307-70-0	Fluorous Alcohols	
			H0845 25g 250g $\text{CF}_3(\text{CF}_2)_7\text{CH}_2\text{CH}_2\text{OH}$ 2-(Perfluoro- <i>n</i> -octyl)ethanol CAS RN: 678-39-7	D4128 5g 25g $\text{CHF}_2\text{CH}_2\text{OH}$ 2,2-Difluoroethanol CAS RN: 359-13-7
				H1232 5g $\text{CF}_3(\text{CF}_2)_7\text{CH}_2\text{OH}$ 1 <i>H</i> ,1 <i>H</i> -Perfluoro-1-nonanol CAS RN: 423-56-3
























H1349 5g 25g  1,1,1,3,3,3-Hexafluoro-2-methyl-2-propanol CAS RN: 1515-14-6	H0548 5g 25g $\text{CF}_3\text{CF}_2\text{CF}_2\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>-Heptafluoro-1-butanol CAS RN: 375-01-9	H1233 1g 5g $\text{HOCH}_2(\text{CF}_2)_8\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>,10<i>H</i>,10<i>H</i>-Hexadecafluoro-1,10-decanediol CAS RN: 754-96-1	H1035 25g $\text{H}(\text{CF}_2)_8\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>,9<i>H</i>-Hexadecafluoro-1-nonanol CAS RN: 376-18-1	H1279 5g 25g  Perfluoropinacol CAS RN: 918-21-8	
H0649 25g $\text{CF}_3\text{CHFCF}_2\text{CH}_2\text{OH}$ 2,2,3,4,4,4-Hexafluoro-1-butanol CAS RN: 382-31-0	H0746 1g 5g 25g $\text{HOCH}_2(\text{CF}_2)_3\text{CH}_2\text{OH}$ 2,2,3,3,4,4-Hexafluoro-1,5-pentenediol CAS RN: 376-90-9	H0424 25g 100g 500g  1,1,1,3,3,3-Hexafluoro-2-propanol CAS RN: 920-66-1	N0814 5g $\text{CF}_3(\text{CF}_2)_8\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>-Perfluoro-1-decanol CAS RN: 307-37-9	N0692 1g 5g 25g  Perfluoro-<i>tert</i>-butanol CAS RN: 2378-02-1	
N0600 5g 25g $\text{CF}_3(\text{CF}_2)_3\text{CH}_2\text{CH}_2\text{OH}$ 2-(Perfluorobutyl)ethanol CAS RN: 2043-47-2	N0810 1g 5g 25g $\text{CF}_3(\text{CF}_2)_3\text{CH}_2\text{OH}$ (Perfluorobutyl)methanol CAS RN: 355-28-2	O0294 5g 25g $\text{HOCH}_2(\text{CF}_2)_4\text{CH}_2\text{OH}$ 2,2,3,3,4,4,5,5-Octafluoro-1,6-hexanediol CAS RN: 355-74-8	O0114 25g 100g 500g $\text{CHF}_2(\text{CF}_2)_3\text{CH}_2\text{OH}$ 2,2,3,3,4,4,5,5-Octafluoro-1-pentanol CAS RN: 355-80-6	P0904 5g 25g $\text{CF}_3(\text{CF}_2)_6\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>-Perfluoro-1-octanol CAS RN: 307-30-2	
P0845 25g $\text{CF}_3\text{CF}_2\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>-Pentafluoro-1-propanol CAS RN: 422-05-9	T1701 5g 25g $\text{CF}_3(\text{CF}_2)_5\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>-Perfluoro-1-heptanol CAS RN: 375-82-6	T2528 5g 25g $\text{CF}_3(\text{CF}_2)_5\text{CH}_2\text{CH}_2\text{OH}$ 2-(Perfluorohexyl)ethanol CAS RN: 647-42-7	T0435 25g 100g 500g $\text{CF}_3\text{CH}_2\text{OH}$ 2,2,2-Trifluoroethanol CAS RN: 75-89-8	T3381 1g 5g $\text{CF}_3(\text{CF}_2)_{10}\text{CH}_2\text{OH}$ 1<i>H</i>,1<i>H</i>-Tricosafuoro-1-dodecanol CAS RN: 423-65-4	
T0101 25g 100g 500g $\text{CHF}_2\text{CF}_2\text{CH}_2\text{OH}$ 2,2,3,3-Tetrafluoro-1-propanol CAS RN: 76-37-9	Fluorous Ethers			B1293 1g 5g $\text{CF}_3\text{CH}_2\text{OCH}_2\text{CF}_3$ 2,2,2-Trifluoroethyl Ether CAS RN: 333-36-8	
C2862 5g  2-Chloro-1,1,2-trifluoroethyl Ethyl Ether CAS RN: 310-71-4	C0853 5g  2-Chloro-1,1,2-trifluoroethyl Methyl Ether CAS RN: 425-87-6			B4169 5g  2-Bromotetrafluoroethyl Trifluorovinyl Ether CAS RN: 85737-06-0	C2485 5g 25g  Isoflurane CAS RN: 26675-46-7
D4484 25g 500g  1,1,1,2,2,3,4,4,5,5-Decafluoro-3-methoxy-4-(trifluoromethyl)pentane CAS RN: 132182-92-4	D4472 1g 5g  Difluoromethyl 2,2,3,3-Tetrafluoropropyl Ether CAS RN: 35042-99-0	H1507 5g 25g  1,1,2,3,3,3-Hexafluoropropyl Methyl Ether CAS RN: 382-34-3			
E1020 5g 25g  Ethyl 1,1,2,3,3,3-Hexafluoropropyl Ether CAS RN: 380-34-7	E0528 25g 500g $\text{CF}_3(\text{CF}_2)_3\text{OCH}_2\text{CH}_3$ $\text{CF}_3\text{CFCF}_2\text{OCH}_2\text{CH}_3$ (mixture of isomers) Ethyl Nonafluorobutyl Ether (mixture of isomers) CAS RN: 813458-04-7	E1019 5g 25g  Ethyl 1,1,2,2-Tetrafluoroethyl Ether CAS RN: 512-51-6	F0691 5g  Fluoromethyl 1,1,1,3,3,3-Hexafluoroisopropyl Ether CAS RN: 28523-86-6	P1226 5g  2-(Heptafluoropropoxy)-hexafluoropropyl Trifluorovinyl Ether CAS RN: 1644-11-7	
H1610 5g 25g $\text{CF}_3\text{O}(\text{CF}_2)_3\text{O}-\text{C}(\text{F})=\text{CF}_2$ 1,1,2,2,3,3-Hexafluoro-1-((trifluoromethoxy)-3-[(1,2,2-trifluorovinyl)oxy]propane CAS RN: 40573-09-9	H1611 5g $\text{CF}_2=\text{C}(\text{F})-\text{O}(\text{CF}_2)_3\text{O}-\text{C}(\text{F})=\text{CF}_2$ 1,1,2,2,3,3-Hexafluoro-1,3-bis[(1,2,2-trifluorovinyl)oxy]-propane CAS RN: 13846-22-5	H1524 5g 25g  Isoindolon CAS RN: 13171-18-1	M1345 25g 500g $\text{CF}_3(\text{CF}_2)_3\text{OCH}_3$  (mixture of isomers) Methyl Nonafluorobutyl Ether CAS RN: 219484-64-7	M2500 1g  Methyl 2,2,3,3,3-Pentafluoropropyl Ether CAS RN: 378-16-5	

M2514 25g  Methyl 1,1,2,2-Tetrafluoroethyl Ether CAS RN: 425-88-7	O0422 5g 25g  1H,1H,5H-Octafluoropentyl 1,1,2,2-Tetrafluoroethyl Ether CAS RN: 16627-71-7	P1224 10g  Perfluoropropoxyethylene CAS RN: 1623-05-8	H1624 25g  1,1,1,2,2,3,3-Heptafluoro-3-[[1,1,1,2,3,3-hexafluoro-3-(1,2,2,2-tetrafluoroethoxy)propan-2-yl]oxy]propane CAS RN: 3330-14-1	
H1625 25g  1,1,1,2,2,3,3-Heptafluoro-3-[[1,1,1,2,3,3-hexafluoro-3-[[1,1,1,2,3,3-hexafluoro-3-(1,2,2,2-tetrafluoroethoxy)propan-2-yl]oxy]propan-2-yl]oxy]propane CAS RN: 3330-16-3	T3069 5g 25g  1,1,2,2-Tetrafluoroethyl 2,2,3,3-Tetrafluoropropyl Ether CAS RN: 16627-68-2	I1044 25g  1,1,1,2,4,4,5,7,7,8,10,10,11,13,13,14,14,15,15,15-Icosafluoro-5,8,11-tris(trifluoromethyl)-3,6,9,12-tetraoxapentadecane CAS RN: 26738-51-2		
T3538 25g  1,1,1,2,4,4,5,7,7,8,10,10,11,13,13,14,14,16,16,17,17,18,18-Tricosafluoro-5,8,11,14-tetrakis(trifluoromethyl)-3,6,9,12,15-pentaaoctadecane CAS RN: 37486-69-4	T3057 5g 25g  1,1,2,2-Tetrafluoroethyl 2,2,2-Trifluoroethyl Ether CAS RN: 406-78-0	D5223 5g 25g  2,2,3,3,4,4,5,5,6,6-Decafluoro-6-[[1,2,2-trifluorovinyl]oxy]hexanenitrile CAS RN: 120903-40-4	T3493 5g 25g  2,2,3,3-Tetrafluoro-3-[[1,1,1,2,3,3-hexafluoro-3-[[1,2,2-trifluorovinyl]oxy]propan-2-yl]oxy]propionitrile CAS RN: 69804-19-9	
Fluorous Ketons	B1240 5g 25g  1-Bromo-3,3,3-trifluoroacetone CAS RN: 431-35-6	C0993 1g  Chloropentafluoroacetone Monohydrate CAS RN: 6984-99-2	D1729 5g  2,2-Dimethyl-6,6,7,7,8,8-heptafluoro-3,5-octanedione CAS RN: 17587-22-3	P1363 5g  Ethyl Undecafluoroamyl Ketone CAS RN: 383177-55-7
H0425 5g 25g  Hexafluoroacetone Hydrate CAS RN: 34202-69-2	H0476 5g 25g  Hexafluoroacetylacetone CAS RN: 1522-22-1	P1452 5g  Methyl Pentadecafluoroheptyl Ketone CAS RN: 754-85-8	U0071 5g  Methyl Undecafluoroamyl Ketone CAS RN: 2708-07-8	T2037 100mg  9H,9H-Triacontafuoro-8,10-heptadecanedione CAS RN: 36554-97-9
N1038 5g 25g  Perfluoroethyl Perfluoroisopropyl Ketone CAS RN: 756-13-8	Fluorous Carboxylic Acids	T0431 25g 100g 500g  Trifluoroacetic Acid CAS RN: 76-05-1	P1125 25g 100g  Pentafluoropropionic Acid CAS RN: 422-64-0	H0024 25g 100g  Heptafluorobutyric Acid CAS RN: 375-22-4
N0605 5g 25g  Nonafluorovaleric Acid CAS RN: 2706-90-3	U0067 5g 25g  Undecafluorohexanoic Acid CAS RN: 307-24-4	T1545 5g 25g  Tridecafluoroheptanoic Acid CAS RN: 375-85-9	H0843 5g 25g  Heptadecafluorononanoic Acid CAS RN: 375-95-1	N0607 5g  Nonadecafluorodecanoic Acid CAS RN: 335-76-2
H1234 1g  Heneicosafluoroundecanoic Acid CAS RN: 2058-94-8	T2492 1g 5g  Tricosafluorododecanoic Acid CAS RN: 307-55-1	H1502 1g  2H,2H,3H,3H-Heptadecafluoro-undecanoic Acid CAS RN: 34598-33-9	T1621 5g 25g  Tetrafluorosuccinic Acid CAS RN: 377-38-8	H0658 5g 10g 25g  Hexafluoroglutaric Acid CAS RN: 376-73-8

O02605g 25g Octafluoroadipic Acid CAS RN: 336-08-3	D24655g 25g Dodecafluorosuberic Acid CAS RN: 678-45-5	H08925g 25g Hexadecafluorosebacic Acid CAS RN: 307-78-8	Fluorous Carboxylic Anhydrides		T24781g 5g Tetrafluorosuccinic Anhydride CAS RN: 699-30-9
H07455g 25g Hexafluoroglutaric Anhydride CAS RN: 376-68-1	T043320mL 100mL 400mL Trifluoroacetic Anhydride CAS RN: 407-25-0	P05665g 25g Pentafluoropropionic Anhydride CAS RN: 356-42-3	H033710g Heptafluorobutyric Anhydride CAS RN: 336-59-4	D41645g Difluoroacetic Anhydride CAS RN: 401-67-2	
Fluorous Carboxylic Halides		H05085g 25g Heptafluorobutyl Chloride CAS RN: 375-16-6	U00755g Undecafluorohexanoyl Fluoride CAS RN: 355-38-4	P08075g 25g Pentafluorobenzoyl Chloride CAS RN: 2251-50-5	H07431g Hexafluoroglutaric Dichloride CAS RN: 678-77-3
Fluorous Carboxylic Esters		H07441g Diethyl Hexafluoroglutarate CAS RN: 424-40-8	D35891g 5g Dimethyl Hexafluoroglutarate CAS RN: 1513-62-8	D35901g 5g Dimethyl Octafluoroadipate CAS RN: 3107-98-0	D35881g 5g Dimethyl Tetrafluorosuccinate CAS RN: 356-36-5
D24985g 25g Ethyl Difluoroacetate CAS RN: 454-31-9	E101825g Ethyl 4,4-Difluoroacetoacetate CAS RN: 352-24-9	E05471g Ethyl 3-Ethoxy-2,2-difluoro-3-hydroxypropionate CAS RN: 141546-97-6	H10385g Ethyl Heptafluorobutyrate CAS RN: 30377-52-7	H05945g 25g Ethyl Heptafluorobutyrate CAS RN: 356-27-4	
N06895g Ethyl Nonafluorovalerate CAS RN: 424-36-2	E10225g 25g Ethyl 5H-Octafluorovalerate CAS RN: 2795-50-8	P10625g Ethyl Pentafluoropropionylacetate CAS RN: 663-35-4	T043225g 100g 500g Ethyl Trifluoroacetate CAS RN: 383-63-1	T169725g 2,2,2-Trifluoroethyl Trifluoroacetate CAS RN: 407-38-5	
E08301g 5g Ethyl 4,4,4-Trifluorobutyrate CAS RN: 371-26-6	E07725g 25g Ethyl 4,4,4-Trifluorocrotonate CAS RN: 25597-16-4	M19155g 25g Methyl Heptafluorobutyrate CAS RN: 51502-45-5	H10335g 25g Methyl Heptafluorobutyrate CAS RN: 356-24-1	M20225g 25g Methyl Heptafluoroisobutyrate CAS RN: 680-05-7	
M19165g 25g Methyl Nonafluorodecanoate CAS RN: 307-79-9	M19125g Methyl Nonafluorovalerate CAS RN: 13038-26-1	P14535g Methyl Pentafluorooctanoate CAS RN: 376-27-2	M19175g 25g Methyl Tricosafluorododecanoate CAS RN: 56554-52-0	M19145g 25g Methyl Tridecafluoroheptanoate CAS RN: 14312-89-1	

M24961g 5g  Methyl 2-(Trifluoromethyl)-3,3-trifluoropropionate CAS RN: 360-54-3	M19135g  Methyl Undecafluorohexanoate CAS RN: 424-18-0	M20305g  Methyl 2,5-Bis(trifluoromethyl)-3,6-dioxundecafluorononanoate (mixture of isomers) CAS RN: 26131-32-8	B57851g 5g  1,6-Bis(acryloyloxy)-2,2,3,3,4,4,5,5-octafluorohexane CAS RN: 2264-01-9	A133010g  1H,1H,2H,2H-Heptafluorodecyl Acrylate CAS RN: 27905-45-9		
N097725g  1H,1H,2H,2H-Nonafluorohexyl Acrylate CAS RN: 52591-27-2	N10145g 25g  1H,1H,2H,2H-Nonafluorohexyl Methacrylate CAS RN: 1799-84-4	O03185g 25g  1H,1H,5H-Octafluoropentyl Acrylate CAS RN: 376-84-1	O04815g 25g  1H,1H,5H-Octafluoropentyl Methacrylate CAS RN: 355-93-1	M14335g 25g  1H,1H,5H-Octafluoropentyl Methacrylate CAS RN: 355-93-1		
P17541g 5g 25g  1H,1H-Pentadecafluoro-n-octyl Acrylate CAS RN: 307-98-2	N11075g 25g  1H,1H,2H,2H-Nonafluorohexyl Acrylate CAS RN: 2591-27-2	H16745g 25g  2,2,3,3,4,4,4-Heptafluorobutyl Methacrylate CAS RN: 13695-31-3	Fluorous Alkyl Halides		B23331g 5g BrCF₂CH=CH₂ 3-Bromo-3,3-difluoropropene CAS RN: 420-90-6	
B32225g 25g BrCF₂CF₂CH=CH₂ 4-Bromo-3,3,4,4-tetrafluoro-1-butene CAS RN: 18599-22-9	D35721g 5g Br(CF₂)₆Br 1,6-Dibromododecafluorohexane CAS RN: 918-22-9	D35871g 5g Br(CF₂)₈Br 1,8-Dibromohexadecafluorooctane CAS RN: 812-58-8	D35735g Br(CF₂)₄Br 1,4-Dibromooctafluorobutane CAS RN: 335-48-8	D28045g 25g Cl(CF₂)₈Cl 1,8-Dichlorohexadecafluorooctane CAS RN: 647-25-6		
D233310g I(CF₂)₆I Dodecafluoro-1,6-diiodohexane CAS RN: 375-80-4	H08445g 25g CF₃(CF₂)₉I Heneicosfluorodecyl Iodide CAS RN: 423-62-1	H10845g 25g CF₃(CF₂)₇CH₂CH₂I 1H,1H,2H,2H-Perfluorodecyl Iodide CAS RN: 2043-53-0	H09465g 25g CF₃(CF₂)₇Br Perfluoro-n-octyl Bromide CAS RN: 423-55-2	P108425g CF₃(CF₂)₇I Perfluoro-n-octyl Iodide CAS RN: 507-63-1		
H06895g CF₃CF₂CF₂Br Heptafluoropropyl Bromide CAS RN: 422-85-5	H05965g 25g CF₃CF₂CF₂I Perfluoropropyl Iodide CAS RN: 754-34-7	N08085g CF₃(CF₂)₈Br Nonadecafluorononyl Bromide CAS RN: 558-96-3	N049925g 100g 500g CF₃CF₂CF₂CF₂I Nonafluorobutyl Iodide CAS RN: 423-39-2	P11555g 25g CF₃(CF₂)₃CH₂CH₂I 2-(Nonafluorobutyl)ethyl Iodide CAS RN: 2043-55-2		
D23295g 25g I(CF₂)₄I Octafluoro-1,4-diiodobutane CAS RN: 375-50-8	P17535g CF₃(CF₂)₆Br Pentadecafluoroheptyl Bromide CAS RN: 375-88-2	T24821g 5g CF₃(CF₂)₅CH₂I 1H,1H-Tridecafluoroheptyl Iodide CAS RN: 212563-43-4	T24795g 25g CF₃(CF₂)₅Br Tridecafluorohexyl Bromide CAS RN: 335-56-8	T10985g 25g CF₃(CF₂)₅I Tridecafluorohexyl Iodide CAS RN: 355-43-1		
T20745g 25g CF₃(CF₂)₅CH₂CH₂I 1H,1H,2H,2H-Perfluoro-n-octyl Iodide CAS RN: 2043-57-4	U00815g 25g CF₃(CF₂)₄I Undecafluoropentyl Iodide CAS RN: 638-79-9	Fluorous Sulfonic Acids & their derivatives			T16045g 25g  2,2,2-Trifluoroethyl Triflate CAS RN: 6226-25-1	H12765g  1,1,1,3,3,3-Hexafluoroisopropyl Triflate CAS RN: 156241-41-7

D5299 1g 5g 2,2-Difluoroethyl Trifluoromethanesulfonate CAS RN: 74427-22-8	N0710 25g Lithium Nonafluoro-1-butanesulfonate CAS RN: 131651-65-5	N0709 5g 25g Nonafluoro-1-butanesulfonic Acid CAS RN: 375-73-5	P1098 25g 100g 250g Perfluoro-1-butanesulfonyl Fluoride CAS RN: 375-72-4	N0711 25g Potassium Nonafluoro-1-butanesulfonate CAS RN: 29420-49-3
T2914 5g Tetrafluoro-2-(tetrafluoro-2-iodoethoxy)-ethanesulfonyl Fluoride CAS RN: 66137-74-4	N0677 5g 2,2,2-Trifluoroethyl Perfluorobutanesulfonate CAS RN: 79963-95-4	Others		E0462 10g 3-(Perfluoro- <i>n</i> -octyl)-propenoxide CAS RN: 38565-53-6
H1300 1g 5g $CF_3CF_2CF_2CH_2NH_2$ 1 <i>H</i> ,1 <i>H</i> -Perfluorobutylamine CAS RN: 374-99-2	U0083 1g 5g $CF_3(CF_2)_4CH_2NH_2$ 1 <i>H</i> ,1 <i>H</i> -Undecafluorohexylamine CAS RN: 355-34-0	N1095 1g 5g $CF_3(CF_2)_8CN$ Nonadecafluorodecanenitrile CAS RN: 379215-40-4	H0926 25g Heptafluorobutyramide CAS RN: 662-50-0	H0467 5g 25g 1-(Perfluorobutyl)imidazole CAS RN: 32477-35-3
P1080 1g (Perfluorohexyl)-phenyliodonium Trifluoromethanesulfonate CAS RN: 77758-84-0	P1081 1g (Perfluoro- <i>n</i> -octyl)-phenyliodonium Trifluoromethanesulfonate CAS RN: 77758-89-5	H1056 1g 5g 1,1,2,2,3,3-Hexafluoro-propane-1,3-disulfonimide CAS RN: 84246-29-7	H1057 1g 5g Lithium 1,1,2,2,3,3-Hexafluoro-propane-1,3-disulfonimide CAS RN: 189217-62-7	N0712 1g 5g $CF_3(CF_2)_3SO_2NK$ $CF_3(CF_2)_3SO_2NK$ Potassium Bisnonafluoro-1-butanesulfonimide CAS RN: 129135-87-1
H1058 1g 5g 1,1,2,2,3,3-Hexafluoropropane-1,3-disulfonimide Potassium Salt CAS RN: 588668-97-7	P1162 25g <i>N</i> -Propyl- <i>N</i> -(2,3-dihydroxypropyl)perfluoro- <i>n</i> -octylsulfonamide CAS RN: 2262-49-9	P1163 25g <i>N</i> -Propyl- <i>N</i> -(2,3-epoxypropyl)perfluoro- <i>n</i> -octylsulfonamide CAS RN: 77620-64-5	T2876 5g 25g Triethoxy-1 <i>H</i> ,1 <i>H</i> ,2 <i>H</i> ,2 <i>H</i> -heptafluorodecylsilane CAS RN: 101947-16-4	T1770 5g 25g Triethoxy-1 <i>H</i> ,1 <i>H</i> ,2 <i>H</i> ,2 <i>H</i> -tridecafluoro- <i>n</i> -octylsilane CAS RN: 51851-37-7
T2720 5g 25g Trimethoxy(3,3,3-trifluoropropyl)silane CAS RN: 429-60-7	T3518 25g Trichloro(3,3,3-trifluoropropyl)silane CAS RN: 592-09-6	T3246 1g 5g Triethoxy[5,5,6,6,7,7-heptafluoro-4,4-bis(trifluoromethyl)heptyl]silane CAS RN: 130676-81-2	T3560 5g 25g Trimethoxy(1 <i>H</i> ,1 <i>H</i> ,2 <i>H</i> ,2 <i>H</i> -tridecafluoro- <i>n</i> -octyl)silane CAS RN: 85857-16-5	C1857 1g 5g Chlorodimethyl-(3,3,4,4,5,5,6,6,7,7,8,8-tridecafluoro- <i>n</i> -octyl)silane CAS RN: 102488-47-1
T3593 1g 5g Trimethyl(heptafluoropropyl)silane CAS RN: 3834-42-2	T3594 1g 5g Trimethyl(nonafluorobutyl)silane CAS RN: 204316-01-8	T3595 1g 5g Trimethyl(tridecafluorohexyl)silane CAS RN: 135841-49-5	T0859 0.1mL 2,4,6-Tris(perfluoropropyl)-1,3,5-triazine CAS RN: 915-76-4	T0828 100mg 2,4,6-Tris(perfluoroheptyl)-1,3,5-triazine CAS RN: 21674-38-4
T0858 0.1mL 2,4,6-Tris(pentafluoroethyl)-1,3,5-triazine CAS RN: 858-46-8	T3041 1g 5g Tris(1,1,1,3,3,3-hexafluoro-2-propyl) Phosphate CAS RN: 66489-68-7	T3203 5g 25g TTFPa CAS RN: 358-63-4	P1134 10g Tris(1 <i>H</i> ,1 <i>H</i> ,5 <i>H</i> -octafluoropentyl) Phosphate CAS RN: 355-86-2	T3353 1g 5g Tris(1,1,1,3,3,3-hexafluoro-2-propyl) Phosphite CAS RN: 66470-81-3

T3991 5g 25g  Tris(2,2,2-trifluoroethyl)- Phosphite CAS RN: 370-69-4	T2484 1g 5g  Tris(pentafluorophenyl)- phosphine CAS RN: 1259-35-4	B3428 1g  1,2-Bis[bis(pentafluorophenyl)- phosphino]ethane CAS RN: 76858-94-1	P0935 5g 25g  Pentafluorobenzonitrile CAS RN: 773-82-0	P0918 5g 25g  Pentafluoroanisole CAS RN: 389-40-2
P1408 5g 25g  2,3,4,5,6-Pentafluorotoluene CAS RN: 771-56-2	P1188 5g 25g  Pentafluoroiodobenzene CAS RN: 827-15-6	B1116 5g 25g  Bromopentafluorobenzene CAS RN: 344-04-7	P0850 25g  Chloropentafluorobenzene CAS RN: 344-07-0	P0861 5g 25g  Pentafluorobenzenethiol CAS RN: 771-62-0
P0922 5g 25g  Pentafluoroaniline CAS RN: 771-60-8	P1228 5g 25g  Pentafluoronitrobenzene CAS RN: 880-78-4	P1904 1g 5g  Pentafluorophenylboronic Acid CAS RN: 1582-24-7	P2231 1g 5g  Pentafluorophenyl 4-Nitrobenzenesulfonate CAS RN: 244633-31-6	P0862 5g 25g  2,3,4,5,6-Pentafluorostyrene CAS RN: 653-34-9
P0925 5g  1-(Pentafluorophenyl)- ethanol CAS RN: 830-50-2	P1242 1g  Pentafluorophenyl- ethoxydimethylsilane CAS RN: 71338-73-3	T1542 1g 5g  2,3,5,6-Tetrafluoro- 4-(trifluoromethyl)benzenethiol CAS RN: 651-84-3	T1541 10g  4-Trifluoromethyl-2,3,5,6- tetrafluorobromobenzene CAS RN: 17823-46-0	T1529 1g 5g  4-Aminoheptafluorotoluene CAS RN: 651-83-2
T1983 5g  Perfluoro- <i>p</i> -cresol CAS RN: 2787-79-3	H1034 5g  (Perfluoro- <i>p</i> -tolyl)- hydrazine CAS RN: 1868-85-5	P0926 5g 25g  Pentafluoropyridine CAS RN: 700-16-3		

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-4159
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://tci.nt-rt.ru/> || эл.почта: tic@nt-rt.ru